EAST Search History

S38	38	S34 and detect$4 near5 faces	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:32
S39	36	S38 and user$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 17:08
S40	0	detect$4 near3 plurality near3 faces and(region$2 near3 importance or specific near3 (region$2 or area$2) or region$2 near3 interest or "ROI" or eye$1 or mouth or chin) near7 high$2 near3 (comperssion or quality) same user$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 16:47
S41	8	detect$4 near3 plurality near3 faces and(region$2 near3 importance or specific near3 (region$2 or area$2) or region$2 near3 interest or "ROI" or eye$1 or mouth or chin) same user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/10 12:04
S42	3	S39 and quantiza$4 near3 table$1 same user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 17:10
S43	0	detect$4 near3 plurality near3 faces and(region$2 near3 importance or specific near3 (region$2 or area$2) or region$2 near3 interest or "ROI" or eye$1 or mouth or chin) same quantization adj1 table$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 18:36
S44	0	detect$4 near3 plurality near3 faces same (quantiz$5 adj1 table$1 or q-table$1 or q adj1 table$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 18:38
S45	0	plurality near3 faces same (quantiz$5 adj1 table$1 or q-table$1 or q adj1 table$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 18:39
S46	1	plurality near3 faces and (quantiz$5 adj1 table$1 or q-table$1 or q adj1 table$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 18:39

EAST Search History

S47		4	detect$4 near3 plurality near3 faces and(region$2 near3 importance or specific near3 (region$2 or area$2) or region$2 near3 interest or "ROI" or eye$1 or mouth or chin) same compress$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/10 12:22
S48		1	detect$4 near3 plurality near3 faces and(region$2 near3 importance or specific near3 (region$2 or area$2) or region$2 near3 interest or "ROI" or eye$1 or mouth or chin) near7 (compres$5 near3 high$2 or quantiz$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/10 12:06
S49		3	detect$4 near3 plurality near3 faces and(region$2 near3 importance or specific near3 (region$2 or area$2) or region$2 near3 interest or "ROI" or eye$1 or mouth or chin) same (compres$5 near3 high$2 or quantiz$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/10 12:10
S50		3	detect$4 near3 plurality near3 faces and(region$2 near3 importance or specific near3 (region$2 or area$2) or region$2 near3 interest or "ROI" or eye$1 or mouth or chin) near10 (compress$5 or quantiz$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/10 12:10
S51		1	detect$4 near5 (plurality near3 faces or faces) with(compress$4 near3 high$4 or quantiz$5 or Q-level or Q-step$1 or quantiz$5 near3 table$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/10 12:25
S52		7	detect$4 near5 (plurality near3 faces or faces) same(compress$4 near3 high$4 or quantiz$5 or Q-level or Q-step$1 or quantiz$5 near3 table$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/10 12:26

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1229	(identif$4 or detect$4 or extract$4 or obtain$3 or determin$3) with (group$2 near3 pixel$2 or segment or region) near3 image same fac$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/25 17:29
S2	23	S1 same (compress$3 or encod$3) near5(group near3 pixel$2 or segment or region or region near3 interest or "ROI" or eye$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/25 16:05
S3	2	S2 and (lossless or lossy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/25 15:58
S4	18	S2 and (compress$3 or encod$3) near5(different or high$2 or low)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/25 16:07
S5	18	S2 and (compress$3 or encod$3) near5(differen$4 or high$2 or low)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/25 16:08
S6	17615	face near3 detect$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/25 17:29
S7	1305	S6 and (identif$4 or detect$4 or extract$4 or obtain$3 or determin$3) near7 (group$2 near3 pixel$2 or segment or region$2 or specific near3 region$2 or region$2 near3 importance) near5 image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 12:46
S8	889	S7 and (segment$4 or discriminat$4 or divid$4 or separat$3 or region$4) near5 face	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/25 17:36
S9	49	S8 and (region$2 near3 importance or specific near3 (region$2 or area$2) or region$2 or interest or "ROI" or eye$1) with high$2 near3 (comperssion or quality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 12:49

EAST Search History

S10	8	S9 and adjustable near3 resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/25 17:40
S11	17645	face near3 detect$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:03
S12	1311	S11 and (identif$4 or detect$4 or extract$4 or obtain$3 or determin$3) near7 (group$2 near3 pixel$2 or segment or region$2 or specific near3 region$2 or region$2 near3 importance or region near3 interest or "ROI") near5 image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:03
S13	36	S12 and (region$2 near3 importance or specific near3 (region$2 or area$2) or region$2 near3 interest or "ROI" or eye$1 or mouth or chin) near7 high$2 near3 (comperssion or quality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:05
S14	8	S13 and first near3 (compress$4 or encod$3) same second near3 (compress$4 or encod$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 12:53
S15	8	S13 and first near3 (compress$4 or encod$3) and second near3 (compress$4 or encod$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 12:53
S16	326	S12 and (high$2 or better or improv$4) near3 (comperssion or encod$3 or quality)near5 image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 14:24
S17	298	S16 and (region$2 near3 importance or specific near3 (region$2 or area$2) or region$2 near3 interest or "ROI" or eye$1 or mouth or chin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 14:25
S18	32	S16 and (region$2 near3 importance or specific near3 (region$2 or area$2 or portion) or region$2 near3 interest or "ROI" or eye$1 or mouth or chin) near7 high$2 near3 (comperssion or quality or encod$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 14:26

EAST Search History

S19	28	S12 and (compress$4 or encod$3 or cod$3)near3 image with high$2 near3 quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:01
S20	5	S11 same (compress$4 or encod$3 or cod$3)near3 image with high$2 near3 quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:00
S21	22181	382/243,282,118,254,203,240,190, 235,232;358/1.15;348/143,222. 1;375/240.16,240.12.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:03
S22	699	S21 and face near3 detect$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:03
S23	344	S22 and (identif$4 or detect$4 or extract$4 or obtain$3 or determin$3) near7 (group$2 near3 pixel$2 or segment or region$2 or specific near3 region$2 or region$2 near3 importance or region near3 interest or "ROI") near5 image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:03
S24	19	S23 and (compress$4 or encod$3 or cod$3)near3 image with high$2 near3 quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:04
S25	0	face near3 detect$4 same adjustable near5 (compress$4 or encod$3 or cod$3) with high$2 near3 quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:02
S26	0	face near3 detect$4 and adjust$4 near5 (compress$4 or encod$3 or cod$3 or resolution) with high$2 near3 quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:05
S27	140	face near3 detect$4 and (compress$4 or encod$3 or cod$3 or resolution) with high$2 near3 quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:05

EAST Search History

S28	1193	S27 (region$2 near3 importance or specific near3 (region$2 or area$2) or region$2 near3 interest or "ROI" or eye$1 or mouth or chin) near7 high$2 near3 (comperssion or quality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:06
S29	28	S27 and(region$2 near3 importance or specific near3 (region$2 or area$2) or region$2 near3 interest or "ROI" or eye$1 or mouth or chin) near7 high$2 near3 (comperssion or quality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 10:15
S30	141	face near3 detect$4 and (compress$4 or encod$3 or cod$3 or resolution) with high$2 near3 quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 13:42
S31	28	S30 and(region$2 near3 importance or specific near3 (region$2 or area$2) or region$2 near3 interest or "ROI" or eye$1 or mouth or chin) near7 high$2 near3 (comperssion or quality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 13:44
S32	2	S31 and plurality near3 faces	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 10:17
S33	15	S31 and faces	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 10:17
S34	141	face near3 detect$4 and (compress$4 or encod$3 or cod$3 or resolution) with high$2 near3 quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 13:43
S35	96	S34 and user$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:32
S36	96	S35 and face$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 13:43
S37	26	S36 and(region$2 near3 importance or specific near3 (region$2 or area$2) or region$2 near3 interest or "ROI" or eye$1 or mouth or chin) near7 high$2 near3 (comperssion or quality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 16:44